

Package ‘arakno’

July 30, 2025

Title ARAchnid KNowledge Online

Version 1.3.1

Date 2025-07-29

Description Allows the user to connect with the World Spider Catalogue (WSC; <<https://wsc.nmbe.ch/>>) and the World Spider Trait (WST; <<https://spidertraits.sci.muni.cz/>>) databases. Also performs several basic functions such as checking names validity, retrieving coordinate data from the Global Biodiversity Information Facility (GBIF; <<https://www.gbif.org/>>), and mapping.

Depends R (>= 3.5.0)

Imports ape, graphics, httr, jsonlite, phytools, rgbif, rworldmap, rworldxtra, stats, utils

Encoding UTF-8

License GPL-3

LazyData true

RoxygenNote 7.3.2

NeedsCompilation no

Author Pedro Cardoso [aut, cre]

Maintainer Pedro Cardoso <pmcardoso@ciencias.ulisboa.pt>

Repository CRAN

Date/Publication 2025-07-30 10:40:21 UTC

Contents

authors	2
buildtree	3
checknames	4
countries	5
distribution	6
endemics	7
globalTree	8

lsid	8
map	9
records	10
species	11
taxonomy	12
traits	13
wsc	14
wscmap	15
Index	16

authors	<i>Get species authors from WSC.</i>
---------	--------------------------------------

Description

Get species authority from the World Spider Catalogue.

Usage

authors(tax, order = FALSE)

Arguments

- tax A taxon name or vector with taxa names.
- order Order taxa alphabetically or keep as in tax.

Details

This function will get species authorities from the World Spider Catalogue (2025). Higher taxa will be converted to species names.

Value

A data.frame with species and authority names.

References

World Spider Catalog (2025). World Spider Catalog. Version 26. Natural History Museum Bern, online at <http://wsc.nmbe.ch>. doi: 10.24436/2.

Examples

```
## Not run:
authors("Amphileorus")
authors(tax = c("Iberesia machadoi", "Nemesia bacelarae", "Amphileorus ungoliantae"), order = TRUE)

## End(Not run)
```

buildtree	<i>Create phylogenetic tree.</i>
-----------	----------------------------------

Description

Create a phylogenetic tree based on the backbone from Macias-Hernandez et al. (2020) and the species taxonomical hierarchy.

Usage

```
buildtree(tax, update = FALSE)
```

Arguments

tax	A taxon name or vector with taxa names. Should be in the general form "Family_sp" or "Genus speciesname", with family or genus name plus anything to uniquely identify the species separated by "_" or " ".
update	Whether to update the taxonomy of the backbone tree according to the WSC (2025).

Details

Based on the backbone phylogeny of Macias-Hernandez et al. (2020). All species in tax present in the backbone are included in the output tree. If the species is not in the backbone, or if only family or genus are known, species are inserted at the level of the most recent common ancestor of confamiliar or congeneric respectively. If only one congeneric or confamiliar are in the backbone, the species is inserted at half the length of the corresponding edge.

Value

A phylo object with a phylogenetic tree for the community.

References

Macías-Hernández et al. (2020). Building-up of a robust, densely sampled spider tree of life for assessing phylogenetic diversity at the community level. *Diversity*, 12: 288. <https://doi.org/10.3390/d12080288>

World Spider Catalog (2025). World Spider Catalog. Version 26. Natural History Museum Bern, online at <http://wsc.nmbe.ch>. doi: 10.24436/2.

Examples

```
## Not run:
spp = c("Atypus affinis", "Tenuiphantes tenuis", "Zodarion sp1", "Araneus diadematus")
spp = c(spp, "Zodarion sp2", "Atypus_nsp", "Nemesia ungoliant", "Linyphiidae sp1")
spp = c(spp, "Zoropsis spinimana", "Pardosa sp1", "Pardosa acorensis", "Liphistius nsp")
tree = buildtree(spp)
plot(tree)

## End(Not run)
```

checknames

Check taxa names in WSC.

Description

Check taxa names against the World Spider Catalogue.

Usage

```
checknames(tax, full = FALSE, order = FALSE)
```

Arguments

tax	A taxon name or vector with taxa names.
full	returns the full list of names.
order	Order taxa alphabetically or keep as in tax.

Details

This function will check if all species, genera and family names in tax are updated according to the World Spider Catalogue (2025). If not, it returns a matrix with nomenclature changes, valid synonyms or possible misspellings using fuzzy matching (Levenshtein edit distance).

Value

If any mismatches, a matrix with taxa not found in WSC or, if full = TRUE, the full list of names.

References

World Spider Catalog (2025). World Spider Catalog. Version 26. Natural History Museum Bern, online at <http://wsc.nmbe.ch>. doi: 10.24436/2.

Examples

```
## Not run:
tax = c("Nemesis", "Nemesia brauni", "Iberesia machadoi", "Nemesia bacelari")
checknames(tax)
checknames(tax, full = TRUE, order = TRUE)

## End(Not run)
```

countries	<i>Get taxon countries from WSC.</i>
-----------	--------------------------------------

Description

Get countries of taxa from the World Spider Catalogue textual descriptions.

Usage

```
countries(tax)
```

Arguments

tax	A taxon name or vector with taxa names.
-----	---

Details

Countries based on the interpretation of the textual descriptions available at the World Spider Catalogue (2025). These might be only approximations to country level and should be taken with caution.

Value

A vector with country ISO codes. Family and genera names will be converted to species.

References

World Spider Catalog (2025). World Spider Catalog. Version 26. Natural History Museum Bern, online at <http://wsc.nmbe.ch>. doi: 10.24436/2.

Examples

```
## Not run:
countries("Iberesia machadoi")
countries(c("Iberesia machadoi", "Nemesia"))

## End(Not run)
```

distribution	<i>Get species distributions from WSC.</i>
--------------	--

Description

Get species distribution from the World Spider Catalogue.

Usage

```
distribution(tax, order = FALSE)
```

Arguments

tax	A taxon name or vector with taxa names.
order	Order taxa alphabetically or keep as in tax.

Details

This function will get species distributions from the World Spider Catalogue (2025).

Value

A data.frame with species and distribution. Family and genera names will be converted to species.

References

World Spider Catalog (2025). World Spider Catalog. Version 26. Natural History Museum Bern, online at <http://wsc.nmbe.ch>. doi: 10.24436/2.

Examples

```
## Not run:
distribution("Nemesia")
distribution(tax = c("Iberesia machadoi", "Amphileorus ungoliantae"), order = TRUE)

## End(Not run)
```

endemics	<i>Get country endemics from WSC.</i>
----------	---------------------------------------

Description

Get endemic species in any country or region from the World Spider Catalogue textual descriptions.

Usage

```
endemics(country)
```

Arguments

country	The ISO3 code (preferred to avoid ambiguity) or country/region name.
---------	--

Details

Species list based on the interpretation of the textual descriptions available at the World Spider Catalogue (2025). These might be only approximations to country level and should be taken with caution.

Value

A vector with species names.

References

World Spider Catalog (2025). World Spider Catalog. Version 26. Natural History Museum Bern, online at <http://wsc.nmbe.ch>. doi: 10.24436/2.

Examples

```
## Not run:  
endemics("PRT")  
endemics("Madeira")  
endemics("Finland")  
  
## End(Not run)
```

globalTree	<i>Global spider backbone tree.</i>
------------	-------------------------------------

Description

From Macias-Hernandez et al. (2020) with nomenclature updated.

Usage

```
data(globalTree)
```

Format

A phylo object with 132 families and 800+ genera, 1400+ species.

lsid	<i>Get species LSID from WSC.</i>
------	-----------------------------------

Description

Get species LSID from the World Spider Catalogue.

Usage

```
lsid(tax, order = FALSE)
```

Arguments

tax	A taxon name or vector with taxa names.
order	Order taxa names alphabetically or keep as in tax.

Details

This function will get species LSID from the World Spider Catalogue (2025). Family and genera names will be converted to species.

Value

A data.frame with species and LSID.

References

World Spider Catalog (2025). World Spider Catalog. Version 26. Natural History Museum Bern, online at <http://wsc.nmbe.ch>. doi: 10.24436/2.

Examples

```
## Not run:
lsid("Anapistula")
lsid(tax = c("Iberesia machadoi", "Nemesia bacelarae", "Amphileorus ungoliantae"), order = TRUE)

## End(Not run)
```

map

*Map species ranges.***Description**

Maps species range according to the World Spider Catalogue and records according to GBIF and the World Spider Trait database.

Usage

```
map(
  tax,
  countries = TRUE,
  records = TRUE,
  hires = FALSE,
  zoom = FALSE,
  order = FALSE,
  verbose = TRUE
)
```

Arguments

tax	A taxon name or vector with taxa names.
countries	Maps countries according to WSC.
records	Maps records according to GBIF and WST.
hires	Provides high resolution maps. Beware it might take longer to render.
zoom	If records is TRUE, the map will be zoomed to the region with records.
order	Order taxa names alphabetically or keep as in tax.
verbose	Display information as data are retrieved.

Details

Countries based on the interpretation of the textual descriptions available at the World Spider Catalogue (2025). These might be only approximations to country level and should be taken with caution.

Value

A world map with countries and records highlighted.

References

Pekar et al. (2021). The World Spider Trait database: a centralized global open repository for curated data on spider traits. Database, 2021: baab064. <https://doi.org/10.1093/database/baab064>

World Spider Catalog (2025). World Spider Catalog. Version 26. Natural History Museum Bern, online at <http://wsc.nmbe.ch>. doi: 10.24436/2.

Examples

```
## Not run:
map(c("Pardosa hyperborea"))
map("Amphileorus", zoom = TRUE, hires = TRUE)
map(c("Pardosa hyperborea", "Iberesia machadoi"), countries = FALSE, hires = TRUE, zoom = TRUE)

## End(Not run)
```

records

Get coordinate data from GBIF and WST.

Description

Downloads coordinate data from records in GBIF and the World Spider Trait database.

Usage

```
records(tax, order = FALSE, verbose = TRUE)
```

Arguments

tax	A taxon name or vector with taxa names.
order	Order taxa names alphabetically or keep as in tax.
verbose	Display information as data are retrieved.

Details

Outputs non-duplicate records with geographical (long, lat) coordinates. As always when using data from multiple sources the user should be careful and check if records "make sense" before using them.

Value

A data.frame with species name, longitude, latitude, source database and reference.

References

Pekar et al. (2021). The World Spider Trait database: a centralized global open repository for curated data on spider traits. Database, 2021: baab064. <https://doi.org/10.1093/database/baab064>

Examples

```
## Not run:
records("Pardosa hyperborea")
records(tax = c("Pardosa hyperborea", "Anapistula"), order = TRUE)

## End(Not run)
```

species	<i>Get species from higher taxa.</i>
---------	--------------------------------------

Description

Get species within given families or genera from the World Spider Catalogue.

Usage

```
species(tax, order = FALSE)
```

Arguments

tax	A taxon name or vector with taxa names.
order	Order species names alphabetically.

Details

This function will get all species currently listed for given families or genera from the World Spider Catalogue (2025).

Value

A vector with species names.

References

World Spider Catalog (2025). World Spider Catalog. Version 26. Natural History Museum Bern, online at <http://wsc.nmbe.ch>. doi: 10.24436/2.

Examples

```
## Not run:
species("Amphileorus")
species(tax = c("Amphileorus", "Nemesiidae"), order = TRUE)

## End(Not run)
```

`taxonomy`*Get taxonomy from species.*

Description

Get species sub/infraorder, family and genus from the World Spider Catalogue.

Usage

```
taxonomy(tax, check = FALSE, aut = FALSE, id = FALSE, order = FALSE)
```

Arguments

<code>tax</code>	A taxon name or vector with taxa names.
<code>check</code>	species names should be replaced by possible matches in the WSC if outdated.
<code>aut</code>	add species authorities.
<code>id</code>	the lsid should be returned.
<code>order</code>	Order taxa names alphabetically or keep as in tax.

Details

This function will get species sub/infraorder, family and genus from the World Spider Catalogue (2025). Optionally, it will correct the species names (using function `checknames`) and provide the lsid and authors from the WSC (using functions `lsid` and `authors`).

Value

A data.frame with species and taxonomy.

References

World Spider Catalog (2025). World Spider Catalog. Version 26. Natural History Museum Bern, online at <http://wsc.nmbe.ch>. doi: 10.24436/2.

Examples

```
## Not run:
taxonomy("Symphytognathidae", order = TRUE, aut = TRUE)
taxonomy(c("Nemesia machadoi", "Nemesia bacelari"), check = TRUE, aut = TRUE, id = TRUE)

## End(Not run)
```

traits

*Get trait data from WST.***Description**

Downloads the most recent data from the World Spider Trait database.

Usage

```
traits(
  tax,
  trait = NULL,
  sex = NULL,
  life = NULL,
  country = NULL,
  habitat = NULL,
  user = "",
  key = "",
  order = FALSE,
  verbose = TRUE
)
```

Arguments

tax	A taxon name or vector with taxa names.
trait	A vector with required trait(s) as abbreviations. Valid values can be found at: https://spidertraits.sci.muni.cz/traits
sex	A vector with required sex(es).
life	A vector with required life stage(s).
country	A vector with required country(ies) ISO3 code(s).
habitat	A vector with required habitat(s).
user	To obtain restricted data get a user name from https://spidertraits.sci.muni.cz/api .
key	To obtain restricted data get an api key from https://spidertraits.sci.muni.cz/api .
order	Order taxa names alphabetically or keep as in tax.
verbose	Display information as data are retrieved.

Details

The World Spider Trait database (Pekar et al. 2021) has been designed to contain trait data in a broad sense, from morphological traits to ecological characteristics, ecophysiology, behavioural habits, and more (Lowe et al. 2020). This function will download everything available for the taxa given, possibly filtered to the traits given in parameter trait. Some data might be restricted access, in which case a user name and api key are needed (<https://spidertraits.sci.muni.cz/api>), otherwise the value will show as NA.

Value

A matrix with trait data.

References

Lowe, E., Wolff, J.O., Aceves-Aparicio, A., Birkhofer, K., Branco, V.V., Cardoso, P., Chichorro, F., Fukushima, C.S., Goncalves-Souza, T., Haddad, C.R., Isaia, M., Krehenwinkel, H., Audisio, T.L., Macias-Hernandez, N., Malumbres-Olarte, J., Mammola, S., McLean, D.J., Michalko, R., Nentwig, W., Pekar, S., Petillon, J., Privet, K., Scott, C., Uhl, G., Urbano-Tenorio, F., Wong, B.H. & Herbestein, M.E. (2020). Towards establishment of a centralized spider traits database. *Journal of Arachnology*, 48: 103-109. <https://doi.org/10.1636/0161-8202-48.2.103>

Pekar et al. (2021). The World Spider Trait database: a centralized global open repository for curated data on spider traits. Database, 2021: baab064. <https://doi.org/10.1093/database/baab064>

Examples

```
## Not run:
traits("Atypus affinis")
traits("Atypus", order = TRUE)
traits("Atypidae", country = c("PRT", "CZE"), order = TRUE)
traits(c("Zodarion costapratae", "Zodarion alacre"))
traits(c("Iberesia machadoi", "Zodarion costapratae"), trait = c("balo", "bole"))

## End(Not run)
```

WSC

Downloads WSC data.

Description

Downloads the most recent data from the World Spider Catalogue.

Usage

```
wsc()
```

Details

The World Spider Catalog (2025) lists all currently valid species of spiders, from Clerck to date. Updated daily.

Value

A matrix with all current species names and distribution. This should be used for other functions using wsc data.

References

World Spider Catalog (2025). World Spider Catalog. Version 26. Natural History Museum Bern, online at <http://wsc.nmbe.ch>. doi: 10.24436/2.

Examples

```
## Not run:  
wsc()  
  
## End(Not run)
```

wscmap

Matrix matching WSC and ISO3 country codes.

Description

A dataset that links species distribution descriptions with the map using the ISO3 code

Usage

```
data(wscmap)
```

Format

A matrix with regions and corresponding ISO3 codes.

Index

- * **datasets**
 - globalTree, [8](#)
 - wscmap, [15](#)
- authors, [2](#)
- buildtree, [3](#)
- checknames, [4](#)
- countries, [5](#)
- distribution, [6](#)
- endemics, [7](#)
- globalTree, [8](#)
- lsid, [8](#)
- map, [9](#)
- records, [10](#)
- species, [11](#)
- taxonomy, [12](#)
- traits, [13](#)
- wsc, [14](#)
- wscmap, [15](#)